

NSSP 13-2. Use with 2022 Standard Specifications. Incorporate immediately.

Section 13-2. Use for a project requiring a WPCP to specify any of the following:

1. Project qualifies for an erosivity waiver
2. Name of the RWQCBs requesting review of the WPCP
3. Project lies within the Lake Tahoe Hydrologic Unit
4. **Project qualifies for a notice of non-applicability (NONA) under the 2022 CGP**

1a. Use for a 2022 CGP project that disturbs more than 1 acre of DSA and qualifies for a notice of non-applicability (NONA). Use either 1 or 1a, strike and hide the section not used.

Replace the last paragraph of section 13-2.01A with:

This project qualifies for a notice of non-applicability because the construction site is not hydrologically connected to waters of the United States. The notice of non-applicability is described in the 2022 CGP.

1–2. Use if the project qualifies for an erosivity waiver.

Add to the end of section 13-2.01A:

1. Use either 1 or 1a, strike and hide the section not used.

This project qualifies for an erosivity waiver because the anticipated soil disturbance is at least 1 and less than 5 ac and the R-factor is less than 5. The erosivity waiver, and R-factor are described in the 2009 and 2022 CGPs.

2. Insert the construction period from the Erosivity Index Calculator Results calculated from the Rainfall Erosivity Factor Calculator for Small Construction Sites on the NPDES website. To qualify for an erosivity waiver, the rainfall erosivity factor must be less than 5.

Schedule all soil-disturbing activities, such as clearing and grubbing, roadway excavation, and embankment construction, to occur from _____ to _____. Deviation from this schedule may void the erosivity waiver.

3. Insert the names of all RWQCBs requesting review of the WPCP as determined by the district or regional stormwater coordinator. Do not use this paragraph if the Lahontan RWQCB is the only RWQCB.

Add between the 4th and 5th paragraphs of section 13-2.01C:

The following RWQCBs will review the authorized WPCP:

1. _____
2. _____
3. _____

Replace the 7th paragraph of section 13-2.01C with:

Do not start job site activities until (1) the WPCP is authorized, and for projects with an erosivity waiver, (2) a waiver identification number has been issued for 2022 CGP project or a waste discharge identification number has been issued for 2009 CGP project.

4. Use if the project lies within the Lake Tahoe Hydrologic Unit.

Replace section 13-2.01D with:

13-2.01D Quality Assurance

Construction activities will disturb land within the Lake Tahoe Hydrologic Unit. Comply with the Lake Tahoe regional general permit issued by the Lahontan Regional Water Quality Control Board for Board Order No. 6-91-31, WDID No. 6A0999999999, General Waste Discharge Requirements for Construction of Small Commercial, Multi-Family Residential, Utility and Public Works Projects Lake Tahoe Basin. The Lake Tahoe regional general permit governs stormwater and nonstormwater discharges resulting from construction activities in the Lake Tahoe Hydrologic Unit. For the permit, go to the website for the State Water Resources Control Board, Storm Water Program, Lahontan Region General Permits.